G R S IX-5]

*Previous references*

ML 195-11 (39)

*Later references*

ML 59-12 83 1-C

1919

( ML )

File No 32 C-11

Serial Nos 1-6, 5 & 10

# GENERAL AND REVENUE SECRETARIAT.

V

*Serial Nos* 1-6, 5 & 10

Part B for May 1919

SUBJECT

Erection of cattle troughs in the cities of Bangalore & Mysore in Memory of the visit of their Majesties the Emperor & Empress of India.

Sl 1) The Resident, B'lore & Mysore City MC Council No 8133 of 2-3 5/12

Requests him to state what steps the MC Council propose to take re the erection of cattle troughs Proposals to my succeed

As No action is practicable now, papers may be ordered to be filed. by the Bureau.

W D 1920—GFB—80,000 26-1-19

E. Venu Raj 17/6/19

G.R.S. 11] 191 2

GENERAL AND REVENUE SECRETARIAT.

( Judl )

NOTES

File No 324

FILE HEADING

Erection of Cattle troughs in the cities of Bangalore & Mysore in memory of the visit of their Majesties the Emperor & Empress of India

From

V

| No. | Dated | Received |
|---|---|---|
| Diary No | Enclos / Spare Copies | Serial No |

BRIEF ABSTRACT OF LETTER

NOTES AND ORDERS

1 To the President of the Bangalore city and cl in Mysore city — } No 8133 & 8134 dd 3.5.12

Enclosures extracts from letter addressed to H.E. by Mr. Chalton relating to —

NOTES—First Sheet

GPB—20,000—12-6-11

[G. R. S. 12]

General and Revenue Secretariat | Mil File No. 324 of 1911

| Serial No | |
|---|---|
| | drinking water troughs in public places and requests him to state what steps the Mil Council propose to take in the matter. |
| 2 | 2) From the President Mil Cb Bangalore city No. 138 d 19.12.12 States that on receipt of information called for from the Executive Engineer, Water Supply and Stores Bn a report would be submitted in due course. |
| | 3) The receipt of information promised may be awaited till the end of June 1913. Submitted for orders |
| | 4. |
| | 6/1/13 |
| 3 | From the President Mil Council Bangalore city No. 248 d 2.4.13 (D 6001) States that the Executive Engineer Water Supply & Stores Bn who has not replied to his several references may be requested to send the designs & estimates, if they are still wanted. |
| | 6. Submitted for orders with draft |
| | 11/4/13 |

NOTE—Contin sheet.

GPB—1,000—7-12.

G R. S. 12]

General and Revenue Secretariat. | File No. 324 of 1912

| Serial No | |
|---|---|
| 4 | 8 To the Chief Engineer No. 9225 d 16.4.13 Requests him to arrange for sending the estimates to this Secretariat at an early date |
| | 9 To President No. 9224 d 16.4.13 Forwards copy of 4. |
| 5 | 10 From the President, Mysore City Council Bangalore city. No 294 d 3.5.13 (D 6816) Submits copies of designs of drinking water troughs & states that there are at present 26 water troughs as shown on the map in red ink & that the question of increasing the no. will be considered at the time of rearranging the fountains |
| | 11. This is with reference to this office Communication of May 1912 & 1. The report called for from the President of the Mysore city Council is yet due |
| | 12 Submitted for orders |
| | RS 6/9 13 Awaits the receipt of the report called for from the Mysore city Municipal President. 9/5/13 |

NOTE—Contin sheet.



GPS—6,000—7-4-12.

[ R. S 12]

General and Revenue Secretariat. | File No. 324 of 1911

Serial No

6 14 From the Chief Engineer No. 4352 d 27. 5. 13 (D 7420) States that the delay in the transmission of the designs was due to arrival of them having had to be estimated for

15 Reply has not been received from the despatch of the approval reminders issued

16 Drafts of another reminder to be submitted for favour of approval.

T1161 11/9/13 (11) D/Sec'y) 12/9.

19) 13/9

18 A reminder was issued & the replies received are being separately dealt with, for the sake of convenience.

19. If approved a return of action taken with regard to the remaining reminders of fountains may be called for Submit for orders with draft

on the Bangalore city

T1161 28/5/14

19)

9 20) To President and Chairman, City - No 1258 d 12 6 14 Requests him to report the action taken

NOTE—Contin. sheet.

GPB—65,000—17-6-12.

G R. S 12]

General and Revenue Secretariat | Mad File No. 324 of 1911

| Serial No | |
|---|---|
| 10 | 21) From the President and Council Bangalore City No. 239 9.7 14 (D.958) 25<br>States that the Muni. Council are not in a position to submit any proposals in the matter until orders are passed on the Muni. Council's resolutions recommending certain modifications in the revised rules for the regulation of Water supply<br>22) If approved the file may be forwarded to Mad W & P for favour of a note as to how the question of revising the rules stands<br>Submitted for orders<br>TS 61<br>3/8/14<br>23 Forwarded to the Secretary to Govt in the Public Works Department, with Compliments, for favour of remarks.<br>31 8 11 8-14.<br>For Offg Secretary<br>7-8-14<br>Bad |

Note—Contin. sheet.

GPE—61,000—17-4-12.

G. R. S. 12]

95 6

General and Revenue Secretariat | 2d File No. 324 of 1911

Serial No.

Office No. 190/P.W.D. dated the 12th August 1914.

A. 176 D. 16. 5. 13

24 The question of revising the water supply rules on the lines suggested by the Municipal Council of the Bangalore and Mysore Cities has been disposed of in this office Unofficial No. 79/P.W.D. dated 17th May 1913.

In G.O.No. 6528-9/Dwg. 295-11-2 dated the 8th February 1912, final orders have been passed as regards the maximum and minimum distance between two stand pipes.

Bangalore
21st November 1914

H. Hughes Campbell
For Secretary to Government,
Public Works Department.

NOTE—Contn. sheet.

G 28—10,000—13-6-14

G R. S 12]

General and Revenue Secretariat | Jud File No. 326 of 1911

| Serial No | |
|---|---|
| + Mis 151-12 | 25 The file relating to water Connection Rules has been repeatedly submitted. |
| Orders have been passed once in this respect | 26 The Bangalore City Municipal President has twice raised a question last Municipal Council should have a free hand in the matter of altering the existing connections and fixing new ones in the City. The matter has been referred to Chief Engineer W.D. |
| | 27 ✓ The question raised in this file may, it is submitted, be kept by till final orders are passed on these questions. |
| | 30.1.15 28 Please submit when the file is received. |
| | 29 Municipal file. Draft ~~respecting~~ inviting attention to the orders passed & asking for proposals, if any. 9/2/15 |
| | Sub2 for orders. |
| | 31 These files have been kept in this state for the last more than 3 years. May these be recorded without orders? |
| | 31 These files [illegible] |

NOTE—Contn. sheet.

A.P.S.—35,000—3-11-14

(8

G R S 111-2,

General and Revenue Secretariat

Mal File No. 326 of 1911

Serial No

Examined by the Chief Sapdt & laid with his remarks -

MK
SJS

32 The question referred by the Municipalities of Bangalore & Major Cities & Towns, whether the no of drinking water troughs in public places in the two cities, could be increased in order to commemorate the visit of their Majesties the Emperor & the Empress of India -

(2) After some correspondence the President of the Bangalore City municipality reported in July 1914. that till orders were passed on the Municipal Council's resolution § 318 of 12 regarding certain modifications in the rules for the regulation of water Supply, the Municipal Council could not submit any proposals in the matter. It is seen that the Resolutions of the Municipal Council § 318 of 12. was sent to the PWD for disposal in connection

Maj E

NOTE—Contd sheet

General and Revenue Secretariat. | Mul. File No. 326 of 191

Serial No

with the revision of the rules-
34 No reply has till now been received from the President of the Mysore City Municipality -

35 In the revised rules the maximum distance between one standpipe and another seems to have been fixed at 600 to 1000 ft - The Presidents of the Mysore and Bangalore City Municipalities requested that the distance may be reduced to 150 yds and 500 ft respectively. The Govt. declined to sanction the recommendations.

k
G.O no 5528-9
Mul 195-11-2
g 8-2 12

) G.O 6825-6
Mul 195-11-4
y g 21-3 12

36 With reference to para 26, it may be noted that in G.O no 5533-43-Mul 502-14-3-g 6-5-1915, it has been laid down that in all municipal towns having a water supply system worked by the PW Dept. the Mul Council concerned should decide all questions relating to the removal or shifting of existing fountains and the erection of new ones

+ H

NOTE—Contn sheet.

G R S. III-2]

General and Revenue Secretariat.

Rev. File No. 326 of 1911

(10

Serial No

that the Water Supply Dept of the P.W.D. dept should accept their opinion unless there are any technical or professional objection, such as insufficiency of water - Supply to feed a large number of fountains in which case the question should be referred to the Chief Engr. for decision, which will be final.

2. Orders having been passed on the pending questions some years ago, some definite reply from the Presidents of the Bangalore & Mysore City Municipalities to this Office Communication of May 1912 should have been obtained.

3. Even now, the attention of the Presidents may be drawn to the said orders & they may be requested to report what action has been taken in the matter of the reference of 1912.

13.5.19

From the above terms many of the case it will be seen that the question is not one which need be

NOTE—Contn. sheet.

G R S III 2

956

General and Revenue Secretariat | File No | of 191

Serial No

Continued in the Sea-Shelf In a matter of this kind prompt action on what was agreed would appear somewhat ridiculous if after 7 or 8 years we take action — & communicate an Edict, which has received recognition throughout the State in general there seems already ample record

MK 19/5/19

Revised) I agree — the question may be dropped & the case removed from the 'Suspend' list —

hm 25/5/19

Subd for approval, as the reference originated on a Communication addressed to His Highness on April 1912

hm

Dewan) This is a curious instance of the System you came. The file is submitted to the Hon'ble Member in charge of B & C as when is possible may be Recorded

4/9.

hm hm

DEWAN'S OFFICE
Recd on MAY 26 1919
Reg No 4 0

NOTE—Contn sheet

5

Pub 324 - H
AB 1 (12)
By 3 5 12

Jo

8133 The Precedents
of the (1) Banga
8134 -lore (2) Mysore
City Muni-

Sir,

I am di-
rected to enclose
herewith, extract
of paras 1 & 3
of a communi
-cation received
to HH the Ma-
-haraja by the
Hon'ble Mr. Chan
-ton. They re-
-late to drink-
-ing water troubles

Drafts & extracts typed
MV 1/2/5/12
Necessary 1/2/5/12

5

Pub 324-H
AB1 12
By 3 5 12

8133 The Presidents
of the (1) Banga
8134 -lore (2) Mysore
City Muni-

Sir,

I am re-
-quested to enclose
herewith, extracts
of paras 1 & 3
of a communi
-cation addressed
to HH the Ma-
-haraja by the
Hon Mr. Chan
-ton. They re-
-late to drink-
-ing water troughs

Note for the Typing Section
Please prepare Copies of
Extracts of the Communication
Noted
[illegible]

Draft & extracts typed
MAY 1/2/5/12
Re-corrected 16/2/1911

in public places -
I am to inquire
of the number
and situation of
these strongholds as
they already exist
in your City, &
to request to be
informed of the
extent to which
the number can
be increased - and
what steps your
Municipal Council
would propose to
take in that be-
half - A suitable
reward with such
added cost may be
prepared & kindly
furnished with your
reply - I have &c a

Chief Secy

Copy to Branch K

Secl. 8133 9-3-11 (4

Extract of para 1 of a communication addressed to

His Highness the Maharaja of Mysore by the Hon'ble Mrs. Charlton

— —— —

The recent visit of the King Emperor and the Queen Empress to this land has been marked by honor and favors to human beings and I venture to entreat most earnestly for some concessions in the State of Mysore for a kindred creation, which from its position in the economy of India has a special claim for humane consideration; for in no other part of the world do animals occupy so high a place in the religious feelings of a people.

Extract

for the Secretary to Govt

B.

Ex A 8133

Extract of para 3 of a communication addressed to

id Highness the Maharaja, by the Hon'ble Mrs. Charlton.

I would ask Your Highness very earnestly to command that further drinking troughs of suitable design should be placed about the City of Mysore near markets, Railway Stations and along roads where animal labour is employed

Extract

B.

No. 138

Office of the Municipal Council,
Bangalore City, 19th December 1912.

From

The President, Municipal Council,
Bangalore City.



To

The Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments,
Bangalore.

Sir,

With reference to your letter No. 8133-4/Ml.324-11-2 dated the 3rd May last, calling for some information regarding drinking water troughs in public places in the City etc., and subsequent reminders in the matter, I have the honour to state that as designs and estimates of the troughs in question are not available in this office and as such works are executed by the Water Works Department, the Executive Engineer of the Water Supply and Stores Division has been requested to furnish some designs to this office. Reminders are being issued therefor. On receipt of them, the information called for will be submitted in due course.

I have the honour to be
Sir,
Your most obedient servant,

President.

Honorary President.

1912-13
130

From The President
City Municipal Council
Bangalore

To The Secretary to the
Govt of Mysore, Genl
& Rev Depts, Bangalore

Dated

Despatched 14th & 21st December 1912

Received

General No 138
No.

Enclosure No.

---

Reporting in re
drinking water
troughs in public
places of the City.

248

Office of the President, Municipal Council,
Bangalore City, dated 2nd April 1913

DIARY No 6001

19/4/1913
SECTION From ml
FILE No 324-W
SERIAL No 3

Dewan Bahadur Raja Sabha Bhushana
K P Puttanna Chetty Esquire,
Honorary president, Municipal Council,
Bangalore City

To

The Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments,
Bangalore

Sir,

324-W)-2 Parent file

In continuation of this office letter No 158 dated the 21st December 1912 in RE the designs of drinking water trougns with estimated cost, I have the honor to state that as the designs and estimates are not available in this office, the Executive Engineer, Water Supply and Stores Division was requested to furnish them That Officer has not yet sent them nor has he given any reply to the communications made to him on the subject as noted in the margin X

I therefore beg to state that the designs and estimates called for may be kindly obtained from the Executive Engineer Water Supply and Stores Division, if they are still wanted.

X
No 560 of 5-9-1912
,, 651 of 18-9-1912
,, 736 of 30-9-1912
,, 1232 of 9-12-1912
,, 1889 of 12-3-1913

I have the honor to be
Sir,
Your most obedient servant,
K P Puttannachetty
Honorary President

Mark

Register of Inward 1913

191

From The President
City Municipal Council
Bangalore

To The Secretary to Govt
Agricl & Rev Departt
Bangalore

Dated 2nd April 1913

Despatched

Received

General No 248
No

Enclosure No

---

Stating that the designs and estimates for drinking water troughs may be obtained from the Exe Engineer, Water Supply and Stores Division

---

GPS—50,000—8-1 18

G.R.S 26]

File No 324/11

Serial No. 4

Diary No of letter replied to 6001

General and Revenue Secretariat

( )

, the 19

16.4.13

Signed by Mr JGR

papers must be returned

No 2225 ad

ml 324-11-

9/16/13

To

The Chief Engineer

of Mysore

Sir

I am directed to forward herewith Copy of letter No 248 dated the 2nd April 1913 from the President and Council Bangalore calling for designs for preparation of drinking water works in the Bangalore city and to request you to be so good as to direct

over

SUBJECT

18

The Executive Engineer
Water Supply & Sewerage Dn
to furnish the remarks &
to the President without
further delay and to report
to Govt the having done so together
with the Caution for the delay that has already occurred
Confidential Letters in this matter.

Yours Obedt

Servt

11/4

Yly
4/4/13
For Secy

2

Memo 8226 mb 324-11 9/6/4/13

Copy of the above is forwarded
to the President and Council
Bangalore City with reference
to his letter No. 848 dated the
2nd April 1913 & report furnishing
detailed information called
for in this office letter No. 813
dated the 3rd May 1912 should
be submitted as early as
practicable

(mb 324-11) - 3 Covering letter
Inst of employees
for the Corporation

(mb 324-11) - 1 Covering letter

By Order

Copied by
Examined by

Yly
4/4/13
For Secy

11/4

DSG
8/4/13

1 JM/14/4

4

No 294
7

Office of the President, Municipal Council,
Bangalore City, dated the 3rd May 1913

Rl 324-12/15 D 6816

From

Dewan Bahadur Raja Sabha Bhushana
K. P Puttanna Chetty Esquire,
Honorary President, Municipal Council,
Bangalore City

To

The Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments,
Bangalore.

Sir,

With reference to the correspondence ending with your memo No. 8226 / M1 324-11-0 dated the 16th Ultimo, in RE the report relating to drinking water troughs in the Bangalore City, I have the honor to submit herewith a copy of the resolution of the Municipal Council dated the 26th idem, referring the question of the redistribution of public fountains and drinking water troughs in the City to the City Improvement Committee for opinion

2 The Executive Engineer, Water Supply and Stores Division was consulted as to the extent to which the number of troughs could be increased That Officer stated that the question would be considered along with the proposals for redistribution of fountains at more equitable distances, which was being worked out in that Department

3 The question of rearrangement of the existing fountains, as directed in Government Order No C8°5-6/11 19°-11-4 dated the 21st March 1912, is under correspondence between this office and the Water Supply and Stores Division To expedite matters, it is proposed that the City Improvement Committee together with the Municipal Councillors of the Division concerned and the Executive Engineer of the Water Supply Divisio

Sr cla

191

From

To

Dated

Despatched

Received

General No.

No.

Enclosure No.

GPE—80,000—8-1-19

should inspect each Division and furnish a report regarding the rearrangement.

4. There are in all 26 Water troughs in the City at present and their situation is marked in the plan herewith submitted.

5. The question of their redistribution or of increasing their number will be considered along with the rearrangement of public fountains, since the situation of drinking Water troughs depends on the existence of a water-tap.

6. Five designs of water fountains with approximate cost noted on them, recently received from the Water Supply Executive Engineer, are herewith submitted as called for.

I have the honor to be
Sir,
Your most obedient servant,

For Honorary President.

Extract from the Proceedings of the Bangalore City Municipal Council at an Ordinary Meeting held on the 26th April 1913.

Ml 324-11

P R E S E N T.

| | |
|---|---|
| Dewan Bahadur Raja Sabha Bhushana K.P. Puttanna Chetty Esquire, Honorary President. | Mr. S.N. Subba Rao. |
| B.S. Ranoji Rao, Esqr, B.A., Vice President. | " H.K. Veerabasavayya, B.A.,B.L., |
| A.K. Pani Esqr, D.P.H. etc, Health Officer. | " D. Adeppa, |
| Mr. D.B. Ramachandra Mudaliar. | " B.V. Ramaswami Chetty, B.A., |
| " B. Chinnaswami Chetty. | " B. Usman Khan. |
| " B.K. Garuda Char. | " B. Abdur Rahmon, B.A., |
| | " B. Hanumappa. |
| | " D. Venkataramaiya. |

A B S E N T.

| | |
|---|---|
| The Executive Engineer, Bangalore Division. | Mr. M. Subbaiya, B.A., |
| The Amildar, Bangalore Taluk. | " H. Ramaiya, |
| Mr. D.A. Rees. | " S. Ramachandraswami, B.A., |
| " K.H. Ramaiya, B.A., | " S. Venkatarangiengar, |
| " G. Rajappa, | " G. Siddaveerappa, |

General and Revenue Secretary's letter No.8133-4/M1.324-11-2 dated the 3rd May 1912 calling for a few suitable designs of drinking water troughs with estimated cost thereof together with information as to the number and situation of the existing troughs in the City, the extent to which the number can be increased and what steps the Municipal Council would take in that behalf.

Also Vice President's Memo dated the 18th Instant, in the matter.

Resolution - The time has now arrived for the redistribution of the water taps and cattle troughs in the City.

Resolved that the question be referred to the City Improvement Committee who, together with the Municipal Councillors of the Division concerned and the Executive Engineer of the Water Supply Division, are requested to inspect and submit a report at an early date.

" C O P Y ".

Sd. K.P. Puttanna Chetty,
Honorary President.

For Honorary President.

No 4352

MYSORE P W DEPARTMENT,

CENTRAL OFFICE

*Bangalore,* 27th May 1913

*From*

KARPUR SHRINIVASRAV, ESQ, BSc, LCE,

*Offg Chief Engineer of Mysore,*

*Bangalore*

DIARY No 7420

10/[illegible]/13

SECTION 2nd

FILE 324-11

SERIAL No 6

K.R Srinivasiengar, Esq, M A,

Offg.Secretary to the Government of

His Highness the Maharaja of Mysore,

General and Revenue Departments

Sir,

With reference to your letter No 8225/M1 324-11-4 dated the 16th April 1913, I have the honour to inform you that it is reported by the Executive Engineer, Water Supply and Stores Division, that, under his No 1007 dated the 12th April 1913, the designs for drinking water troughs in the Bangalore City, called for by the President of the City Municipality, were forwarded to that officer, and that the delay in their transmission was due to several designs having had to be estimated for

I have the honour to be,

Sir,

Your most obedient servant,

[illegible]

Deputy Chief Engineer of My[illegible]

1913

MYSORE P W DEPARTMENT

*No* 4352.

*From*

THE CHIEF ENGINEER OF MYSORE,
*Bangalore.*

*To*

The Secretary to Government,
General & Revenue Departments,
B A N G A L O R E.

*Dated Bangalore* 27th May 1913.

*Despatched*

*Enclosure No*

SUBJECT

Reporting that the delay in the transmission of the designs for drinking water troughs in the Bangalore City was due to several designs having had to be estimated for. -----

GPB--2,000--1 119

Action taken with regard to the construction of cattle troughs on the Bangalore City

G R S 26]

3/6

Diary No of letter replied to 7420/14

General and Revenue Secretariat

( )

, the 191

Date of issue 12-6-14

Signed by Uma V. Ramanathan

File No 324-11

Serial No 9

S

165/8

23

No 1256-2

ml 324-11

9/12/6/14

To

The President

and Council

Bangalore City

Sir,

I am directed to make reference to para 2 of your letter No. 294 dated the 2nd May 1914 about the erection of water [illegible]

SUBJECT

24

in the Bangalore City and to request you to be so good as to state for the information of Govt whether the question of rehabilitating the water troughs or increasing their number has been since investigated and if so what the proposals of the Govt Council are.

I have etc

for Officer

Dy

Dsbl

2/5/14

*List of enclosures*

*Copied by* BV, 11/6

*Examined by*

GPB—25,000—4-8-13

B M 109]

No 23
Enc 2

Rl 324-11/81 10 25

OFFICE OF THE PRESIDENT,
MUNICIPAL COUNCIL,
BANGALORE CITY, DATED 9th July 1914

D 956

FROM

DEWAN BAHADUR RAJA SABHA BHUSHANA
K. P PUTTANNA CHETTY, ESQ,
*Honorary President, Municipal Council,*
*Bangalore City*

To

*The Secretary to the Government of*
*His Highness the Maharaja of Mysore,*
*General and Revenue Departments,*
*Bangalore.*

SIR,

With reference to your letter No. 12562/Ml.324-11-9 dated the 12th June last, enquiring whether the questions of redistributing the water troughs or increasing their number in the Bangalore City has been since investigated and if so what the proposals of the Municipal Council are, I have the honor to state that on the 26th April 1913 the Municipal Council resolved that, as already reported, the question of the redistribution of water taps and cattle troughs in the City be referred to the Municipal City Improvement Committee for making a report in consultation with the Municipal Councillors of the Divisions concerned and the Executive Engineer of the Water Supply Division.

2. The Committee met on the 24th May 1913 and resolved that, as any recommendation by the Committee for the removal of any of the existing fountains would be inconsistent with the resolution of the Municipal Council already passed which was pending the orders of Government, Viz, that the question of the minimum distance between

fountains

From

To

Dated

Despatched

Received

General No

No

Enclosure No

26

fountains should not affect the existing fountains, they could not make any proposals in the matter. Copies of the Committee's resolution together with that of this office letter No. 717 dated the 25th September 1913 to the Superintending Engineer Southern Circle in reply to a communication from him on the question of the redistribution of fountains are herewith forwarded for information and orders of Government.

3. Pending the receipt of final orders of Government, on the Municipal Council's resolution dated the 31st August 1912, recommending certain modifications in the revised rules for the regulation of Water Supply, forwarded with this office letter No. 98 dated the 29th October 1912, the Municipal Council are not in a position to submit any proposals in the matter.

166-12
2483

I have the horor to be
Sir,
Your most obedient servant,

Honorary President.

Ex Genl 324-11/81

**Proceedings of the City Improvement Committee dated 24th May 1913.**

---

**P r e s e n t.**

The Vice President.
The Health Officer.
The Municipal Engineer.
Mr. B.K. Garuda Char.,
Mr. B. Usman Khan.
Mr. K. Srinivasa Iyengar, Executive Engineer, Water Supply Department was also present.

---

Resolved that as any recommendation by the Committee for the removal of any existing fountains would be inconsistent with the resolution of the Council to the effect that the question of minimum distance between fountains should not affect the existing fountains which is pending orders of Government, the Committee cannot deal with the question now. Hence deferred.

Sd. B.S. [redacted]oji Rao,
Vice President.

"C O P Y".

For Honorary President.

Encl 324-11/81 Co

Copy of letter No. 717 dated 27th September 1913 from the President, Municipal Council, to the Superintending Engineer Southern Circle, Bangalore City.

---

With reference to your memo No. 6490 dated the 18/19th instant forwarding copy of your docket No. 6489 of the same date to the Executive Engineer, Water Supply and Stores Division requesting him to obtain proposals from this office for effecting a more equitable distribution of pipes in the Bangalore City, I have the honor to state that the City Improvement Committee was requested to deal with the question in consultation with the Executive Engineer of the Water Supply Department.

2. That body, after having considered the matter decided that they could not make any proposals for the removal of the existing fountains as it would be inconsistant with the resolution of the Council passed on the 31st August 1912, to the effect that the question of minimum distance between fountains should not affect the existing fountains, which resolution was pending the orders of Government.

3. The above resolution of the Council was sent up to Government on the 29th October 1912 for reconsideration of their orders passed regarding the revised Water Supply Rules. The same appears to have been forwarded by the Government to the Secretary Public Works Department in November 1912.

4. As final orders are thus awaited, I regret that no action can be taken in the matter until the receipt of orders.

Sd. K.P. Puttanna Chetty,
Honorary President.

" C O P Y ".

For Honorary President.